

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	("(voternear2(record or information or data or registration) with database) and @ad < 20001103").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 20:24
L2	28	(voter near2 (record or information or data or registration) with database) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L3	4	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L4	0	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) same (position or issue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L5	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L6	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue) and ballot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24

L7	0	voter and ballot and anonymous and (return\$3 adj envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L8	0	voter and ballot and anonymous and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L9	3	voter and ballot and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L10	2	(scan with digital) and (survey or ballot) and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L11	262	(scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L12	0	(scan with digital) same database same (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L13	65	(scan with digital) and database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24

L14	6	(scan with digital) same database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L15	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L16	2	"5454105".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L17	2	"6250548".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L18	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3 with stor\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L19	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L20	23	(scan\$4 with image with retriev\$4 with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24

L21	8	((scan\$4 with image) with (retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L22	49	(scan\$4 near2 image) and ((retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L23	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L24	0	("(voternear2(recordorinformationordataorregistration) withdatabase)and@ad<20001103").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 20:24
L25	28	(voter near2 (record or information or data or registration) with database) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L26	4	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L27	0	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) same (position or issue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24

L28	2	{voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L29	2	{voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue) and ballot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L30	0	voter and ballot and anonymous and (return\$3 adj envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L31	0	voter and ballot and anonymous and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L32	3	voter and ballot and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L33	2	{scan with digital) and (survey or ballot) and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L34	262	{scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24

L35	0	(scan with digital) same database same (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L36	65	(scan with digital) and database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L37	6	(scan with digital) same database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L38	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L39	2	"5454105".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L40	2	"6250548".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L41	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3 with stor\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24

L42	0	{scan\$4 with image with retriev\$4 with (change or modify) with sav\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L43	23	{scan\$4 with image with retriev\$4 with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L44	8	((scan\$4 with image) with (retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L45	49	{scan\$4 near2 image) and ((retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L46	0	("(voternear2(recordorinformationordataorregistration) withdatabase)and@ad<20001103").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 20:24
L47	28	{voter near2 (record or information or data or registration) with database) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L48	4	{voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24

L49	0	{voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) same (position or issue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L50	2	{voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L51	2	{voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue) and ballot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L52	0	voter and ballot and anonymous and (return\$3 adj envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L53	0	voter and ballot and anonymous and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L54	3	voter and ballot and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L55	2	{scan with digital) and (survey or ballot) and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24

L56	262	(scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L57	0	(scan with digital) same database same (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L58	65	(scan with digital) and database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L59	6	(scan with digital) same database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L60	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L61	2	"5454105".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L62	2	"6250548".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24

L63	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3 with stor\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L64	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L65	23	(scan\$4 with image with retriev\$4 with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L66	8	((scan\$4 with image) with (retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L67	49	(scan\$4 near2 image) and ((retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L68	262	(scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L69	3	voter and ballot and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24

L70	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L71	2	"5454105".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L72	8	((scan\$4 with image) with (retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L73	4	((voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L74	2	(scan with digital) and (survey or ballot) and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L75	65	(scan with digital) and database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L76	2	"6250548".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24

L77	23	(scan\$4 with image with retriev\$4 with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L78	0	voter and ballot and anonymous and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L79	49	(scan\$4 near2 image) and ((retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L80	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L81	0	voter and ballot and anonymous and (return\$3 adj envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L82	0	(scan with digital) same database same (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L83	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3 with stor\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24

L84	6	{scan with digital} same database and {survey or ballot} and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L85	0	{("voter near2(record or information or data or registration) with database) and @ad < 20001103").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 20:24
L86	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L87	0	{(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) same (position or issue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L88	2	{(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue)}	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L89	28	{(voter near2 (record or information or data or registration) with database) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L90	2	{(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue) and ballot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24

L91	9	markup with language with encoded with constructs	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 20:24
L92	62	voted adj ballot	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 20:24
L93	0	(voted adj ballot) with (voter near2 identification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 20:24
L94	4	(voted adj ballot) same (voter with identification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 20:24
L95	0	("(voternear2(recordorinformationordataorregistration) withdatabase)and@ad<20001103").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 20:24
L96	28	(voter near2 (record or information or data or registration) with database) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24

L97	4	{voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L98	0	{voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) same (position or issue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:24
L99	2	{voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L100	2	{voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue) and ballot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L101	0	voter and ballot and anonymous and (return\$3 adj envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L102	0	voter and ballot and anonymous and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L103	3	voter and ballot and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25

L104	2	(scan with digital) and (survey or ballot) and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L105	262	(scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L106	0	(scan with digital) same database same (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L107	65	(scan with digital) and database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L108	6	(scan with digital) same database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L109	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L110	2	"5454105".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25

L111	2	"6250548".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L112	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3 with stor\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L113	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L114	23	(scan\$4 with image with retriev\$4 with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L115	8	((scan\$4 with image) with (retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L116	49	(scan\$4 near2 image) and ((retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L117	262	(scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25

L118	3	voter and ballot and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L119	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L120	2	"5454105".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L121	8	((scan\$4 with image) with (retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L122	4	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L123	2	(scan with digital) and (survey or ballot) and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L124	65	(scan with digital) and database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25

L125	2	"6250548".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L126	23	(scan\$4 with image with retriev\$4 with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L127	0	voter and ballot and anonymous and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L128	49	(scan\$4 near2 image) and ((retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L129	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L130	0	voter and ballot and anonymous and (return\$3 adj envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L131	0	(scan with digital) same database same (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25

L132	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3 with stor\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L133	6	(scan with digital) same database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L134	0	("(voter near2(record or information or data or registration) with database) and @ad < 20001103").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 20:25
L135	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L136	0	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) same (position or issue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L137	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L138	28	(voter near2 (record or information or data or registration) with database) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25

L139	2	{voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue) and ballot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L140	0	("(voternear2(recordorinformationordataorregistration) withdatabase)and@ad<20001103").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 20:25
L141	28	{voter near2 (record or information or data or registration) with database) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L142	0	{voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) same (position or issue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L143	2	{voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L144	2	{voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue) and ballot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L145	0	voter and ballot and anonymous and (return\$3 adj envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25

L146	0	voter and ballot and anonymous and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L147	3	voter and ballot and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L148	2	(scan with digital) and (survey or ballot) and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L149	262	(scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L150	0	(scan with digital) same database same (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L151	65	(scan with digital) and database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L152	6	(scan with digital) same database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25

L153	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L154	2	"5454105".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L155	2	"6250548".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L156	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3 with stor\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L157	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L158	23	(scan\$4 with image with retriev\$4 with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L159	8	((scan\$4 with image) with (retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25

L160	49	((scan\$4 near2 image) and ((retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L161	262	(scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L162	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L163	2	"5454105".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L164	8	((scan\$4 with image) with (retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L165	4	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L166	2	(scan with digital) and (survey or ballot) and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25

L167	23	(scan\$4 with image with retriev\$4 with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L168	2	"6250548".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L169	0	voter and ballot and anonymous and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L170	49	(scan\$4 near2 image) and ((retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L171	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L172	0	voter and ballot and anonymous and (return\$3 adj envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L173	0	(scan with digital) same database same (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25

L174	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3 with stor\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L175	6	(scan with digital) same database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L176	0	("(voter near2(record or information or data or registration) with database) and @ad < "20001103").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 20:25
L177	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L178	0	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) same (position or issue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L179	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L180	28	(voter near2 (record or information or data or registration) with database) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25

L181	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue) and ballot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L182	4	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L183	65	(scan with digital) and database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L184	3	voter and ballot and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L185	9	markup with language with encoded with constructs	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 20:25
L186	4	(voted adj ballot) same (voter with identification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 20:25

L187	62	voted adj ballot	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 20:25
L188	0	(voted adj ballot) with (voter near2 identification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 20:25
L189	2	707/104.1.ccls. and (scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L190	0	707/3.ccls. and (scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L191	4	707/10.ccls. and (scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L192	0	705/12.ccls. and (scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25

L193	0	235/51.cds. and (scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L194	0	235/38.cds. and (scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L195	14	(mark\$4 or writ\$4) near3 (voted adj ballot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L196	0	(mark\$4 or writ\$4) near3 (voted adj ballot) and @ad < "20001221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L197	16	(mark\$4 or writ\$4 or punch or identif\$5) near3 (voted adj ballot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L198	0	(mark\$4 or writ\$4 or punch or identif\$5) near3 (voted adj ballot) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L199	149	((mark\$4 or writ\$4 or punch or identif\$5) near3 ballot) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25

L200	10	((mark\$4 or writ\$4 or punch or identif\$5) near3 ballot with voted) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L201	0	(mark\$4 or writ\$4 or punch or identif\$5) near3 ((voted or casted) adj ballot) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L202	5	(identif\$8 with (voted or casted) with ballot) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L203	34	(identif\$8 with voter with ballot) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L204	8	(identif\$8 with voter with ballot with cast) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L205	8	(identif\$8 with voter with ballot with (voted or cast)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L206	0	(identif\$8 with voter with ballot with survey) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25

L207	1150	(identif\$8 with survey) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L208	21	(identif\$8 with survey with surveyed) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L209	541	(identif\$8 with survey with (mark or identify\$4)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L210	0	(identif\$8 with survey with (mark or identify\$4) with surveyor) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L211	8	(identif\$8 with survey with (mark or identify\$4) with surveyor) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L212	5	(survey with (mark or identify\$4) with paper) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L213	27	(identif\$8 with survey with (mark or identify\$4) with image) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25

L214	2	"6250548".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L215	42	((identification near2 voter) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L216	16	((((identification near2 voter) with ballot)and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L217	3	((((identification near2 voter) with ballot with cast)and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L218	0	((((intention near2 voter) with ballot)and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L219	0	((((intention near2 voter) and ballot)and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L220	0	((error near2 mark) with ballot)and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25

L221	0	((error with mark) with ballot)and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L222	0	((pregnant with mark) with ballot)and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L223	61	((mark) with ballot)and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L224	11	(identif\$5 with mark with ballot)and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L225	5	(scan with (cast or voted) with ballot)and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L226	2	"7092942".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L227	2	"7177870".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25

L228	2	"20020078358 "	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L229	2	"7099900".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L230	6	inspect\$4 with voted with ballot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
L231	2	("20060085427").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 20:25
L232	2	"6081793".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/13 20:25
S1	0	("(voternear2(recordorinformationordataaorregistration) withdatabase)and@ad< 20001103").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 21:50
S2	30	(voter near2 (record or information or data or registration) with database) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:24

S3	4	{voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 14:28
S4	0	{voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) same (position or issue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 14:29
S5	2	{voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 17:40
S6	2	{voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue) and ballot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 17:41
S7	0	voter and ballot and anonymous and (return\$3 adj envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 17:42
S8	0	voter and ballot and anonymous and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 17:43
S9	3	voter and ballot and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 15:33

S10	2	(scan with digital) and (survey or ballot) and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 17:58
S11	254	(scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 17:59
S12	0	(scan with digital) same database same (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 18:00
S13	58	(scan with digital) and database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 18:00
S14	6	(scan with digital) same database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:25
S15	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 18:00
S16	3	"5454105".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 15:34

S17	2	"6250548".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 16:35
S19	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3 with stor\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 12:29
S20	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 12:29
S21	21	(scan\$4 with image with retriev\$4 with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 12:31
S22	8	((scan\$4 with image) with (retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 12:33
S23	49	(scan\$4 near2 image) and ((retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 18:56
S24	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 18:57

S25	0	("(voter near2 (record or information or data or registration) with database) and @ad < "20001103").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 20:04
S26	30	(voter near2 (record or information or data or registration) with database) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S27	4	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S28	0	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) same (position or issue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S29	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S30	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue) and ballot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S31	0	voter and ballot and anonymous and (return\$3 adj envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04

S32	0	voter and ballot and anonymous and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S33	3	voter and ballot and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S34	2	(scan with digital) and (survey or ballot) and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S35	255	(scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S36	0	(scan with digital) same database same (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S37	59	(scan with digital) and database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S38	6	(scan with digital) same database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04

S39	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S40	3	"5454105".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S41	2	"6250548".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S42	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3 with stor\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S43	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S44	21	(scan\$4 with image with retriev\$4 with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S45	8	((scan\$4 with image) with (retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04

S46	49	(scan\$4 near2 image) and ((retrieve\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S47	0	("(voternear2(recordorinformationordataorregistration) withdatabase)and@ad<20001103").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 16:28
S48	30	(voter near2 (record or information or data or registration) with database) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S49	4	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S50	0	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) same (position or issue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S51	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S52	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue) and ballot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28

S53	0	voter and ballot and anonymous and (return\$3 adj envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S54	0	voter and ballot and anonymous and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S55	3	voter and ballot and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S56	2	(scan with digital) and (survey or ballot) and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S57	260	(scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S58	0	(scan with digital) same database same (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S59	62	(scan with digital) and database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28

S60	6	(scan with digital) same database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S61	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S62	3	"5454105".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S63	2	"6250548".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S64	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3 with stor\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S65	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S66	21	(scan\$4 with image with retriev\$4 with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28

S67	8	((scan\$4 with image) with (retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S68	49	(scan\$4 near2 image) and ((retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S69	260	(scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S70	3	voter and ballot and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S71	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S72	3	"5454105".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S73	8	((scan\$4 with image) with (retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28

S74	4	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S75	2	(scan with digital) and (survey or ballot) and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S76	62	(scan with digital) and database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S77	2	"6250548".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S78	21	(scan\$4 with image with retriev\$4 with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S79	0	voter and ballot and anonymous and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S80	49	(scan\$4 near2 image) and ((retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28

S81	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S82	0	voter and ballot and anonymous and (return\$3 adj envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S83	0	(scan with digital) same database same (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S84	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3 with stor\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S85	6	(scan with digital) same database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S86	0	("(voternear2(recordorinformationordataorregistration) withdatabase)and@ad<20001103").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 16:28
S87	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28

S88	0	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) same (position or issue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S89	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S90	30	(voter near2 (record or information or data or registration) with database) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S91	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue) and ballot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S92	6	markup with language with encoded with constructs	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/23 08:36
S93	59	voted adj ballot	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 21:50

S94	0	{voted adj ballot} with {voter near2 identification}	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 21:51
S95	4	{voted adj ballot} same {voter with identification}	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 21:51
S96	0	{"(voternear2(recordorinformationordataorregistration) withdatabase)and@ad< 20001103").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 11:59
S97	30	{voter near2 (record or information or data or registration) with database) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S98	4	{voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S99	0	{voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) same (position or issue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59

S100	2	{voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S101	2	{voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue) and ballot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S102	0	voter and ballot and anonymous and (return\$3 adj envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S103	0	voter and ballot and anonymous and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S104	3	voter and ballot and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S105	2	{scan with digital) and (survey or ballot) and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S106	263	{scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 12:14

S107	0	(scan with digital) same database same (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S108	65	(scan with digital) and database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S109	6	(scan with digital) same database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S110	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S111	3	"5454105".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S112	2	"6250548".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S113	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3 with stor\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59

S114	0	{scan\$4 with image with retriev\$4 with (change or modify) with sav\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S115	23	{scan\$4 with image with retriev\$4 with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S116	8	((scan\$4 with image) with (retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S117	49	{scan\$4 near2 image) and ((retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S118	263	{scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S119	3	voter and ballot and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S120	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 14:20

S121	3	"5454105".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 21:33
S122	8	((scan\$4 with image) with (retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S123	4	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S124	2	(scan with digital) and (survey or ballot) and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S125	65	(scan with digital) and database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S126	2	"6250548".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S127	23	(scan\$4 with image with retriev\$4 with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59

S128	0	voter and ballot and anonymous and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S129	49	(scan\$4 near2 image) and ((retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S130	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S131	0	voter and ballot and anonymous and (return\$3 adj envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S132	0	(scan with digital) same database same (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S133	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3 with stor\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S134	6	(scan with digital) same database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59

S135	0	("(voternear2(recordorinformationordataorregistration)withdatabase)and@ad<20001103").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 11:59
S136	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S137	0	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) same (position or issue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S138	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S139	30	(voter near2 (record or information or data or registration) with database) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S140	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue) and ballot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S141	0	("(voternear2(recordorinformationordataorregistration)withdatabase)and@ad<20001103").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 11:59

S142	30	(voter near2 (record or information or data or registration) with database) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S143	0	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) same (position or issue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S144	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S145	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue) and ballot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S146	0	voter and ballot and anonymous and (return\$3 adj envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S147	0	voter and ballot and anonymous and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S148	3	voter and ballot and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59

S149	2	(scan with digital) and (survey or ballot) and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S150	263	(scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S151	0	(scan with digital) same database same (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S152	65	(scan with digital) and database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S153	6	(scan with digital) same database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S154	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S155	3	"5454105".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59

S156	2	"6250548".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S157	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3 with stor\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S158	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S159	23	(scan\$4 with image with retriev\$4 with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S160	8	((scan\$4 with image) with (retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S161	49	(scan\$4 near2 image) and ((retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S162	263	(scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59

S163	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S164	3	"5454105".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S165	8	((scan\$4 with image) with (retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S166	4	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S167	2	(scan with digital) and (survey or ballot) and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S168	23	(scan\$4 with image with retriev\$4 with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S169	2	"6250548".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59

S170	0	voter and ballot and anonymous and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S171	49	(scan\$4 near2 image) and ((retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S172	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S173	0	voter and ballot and anonymous and (return\$3 adj envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S174	0	(scan with digital) same database same (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S175	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3 with stor\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S176	6	(scan with digital) same database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59

S177	0	("(voter near2 (record or information or data or registration) with database) and @ad < "20001103").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 11:59
S178	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S179	0	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) same (position or issue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S180	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S181	30	(voter near2 (record or information or data or registration) with database) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S182	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue) and ballot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S183	4	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59

S184	65	{scan with digital} and database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S185	3	voter and ballot and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
S186	6	markup with language with encoded with constructs	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 11:59
S187	4	(voted adj ballot) same (voter with identification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 11:59
S188	59	voted adj ballot	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 11:59
S189	0	(voted adj ballot) with (voter near2 identification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 11:59

S190	2	707/104.1.cds. and (scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 12:16
S191	0	707/3.cds. and (scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 12:16
S192	4	707/10.cds. and (scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 12:18
S193	0	705/12.cds. and (scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 12:18
S194	0	235/51.cds. and (scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 12:18
S195	0	235/38.cds. and (scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 14:53
S196	14	(mark\$4 or writ\$4) near3 (voted adj ballot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 15:07

S197	0	((mark\$4 or writ\$4) near3 (voted adj ballot) and @ad < "20001221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 14:55
S198	16	((mark\$4 or writ\$4 or punch or identifi\$5) near3 (voted adj ballot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 15:07
S199	0	((mark\$4 or writ\$4 or punch or identifi\$5) near3 (voted adj ballot) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 15:16
S200	147	((mark\$4 or writ\$4 or punch or identifi\$5) near3 ballot) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 15:09
S201	10	((mark\$4 or writ\$4 or punch or identifi\$5) near3 ballot with voted) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 15:09
S202	0	((mark\$4 or writ\$4 or punch or identifi\$5) near3 ((voted or casted) adj ballot) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 15:16
S203	5	((identifi\$8 with (voted or casted) with ballot) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 15:19

S204	35	(identif\$8 with voter with ballot) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 16:16
S205	8	(identif\$8 with voter with ballot with cast) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 16:20
S206	8	(identif\$8 with voter with ballot with (vaoted or cast)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 16:16
S207	0	(identif\$8 with voter with ballot with survey) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 22:53
S208	1149	(identif\$8 with survey) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 16:20
S209	22	(identif\$8 with survey with surveyed) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 16:21
S210	543	(identif\$8 with survey with (mark or identify\$4)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 16:26

S211	0	(identif\$8 with survey with (mark or identify\$4) with surveyor) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 16:22
S212	8	(identif\$8 with survey with (mark or identify\$4) with surveyor) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 16:25
S213	5	(survey with (mark or identify\$4) with paper) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 16:26
S214	27	(identif\$8 with survey with (mark or identify\$4) with image) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 16:27
S215	2	"6250548".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 21:34
S216	48	(identification near2 voter) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 22:54
S217	16	((identification near2 voter) with ballot) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 00:26

S218	3	((identification near2 voter) with ballot)and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 22:54
S219	0	((intention near2 voter) with ballot)and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 00:26
S220	0	((intention near2 voter) and ballot)and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 00:27
S221	0	((error near2 mark) with ballot)and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 00:27
S222	0	((error with mark) with ballot)and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 00:27
S223	0	((pregnant with mark) with ballot)and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 00:28
S224	59	((mark) with ballot)and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 00:28

S225	11	(identif\$5 with mark with ballot)and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 00:42
S226	5	(scan with (cast or voted) with ballot)and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 11:42
S227	2	"7092942".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 12:01
S228	2	"7177870".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 12:01
S229	2	"20020078358 "	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 14:24
S230	2	"7099900".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 16:33
S231	6	inspect\$4 with voted with ballot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 14:56

S232	2	("20060085427").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 14:56
S233	2	"6081793".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 16:33

5/13/2008 9:09:21 PM

C:\Documents and Settings\klu\My Documents\EAST\Workspaces\10023990a.wsp